

<b>L Number</b>	<b>Hits</b>	<b>Search Text</b>	<b>DB</b>	<b>Time stamp</b>
<b>6</b>	<b>7</b>	<b>(keyword\$1 with (image-based or feature-based or color\$1 or shape\$1 or texture\$1)) and feedback\$1 and (adjust\$3 with weight\$1)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/05/14 11:48</b>
<b>7</b>	<b>2</b>	<b>(keyword\$1 with (image-based or feature-based or color\$1 or shape\$1 or texture\$1)) and (feedback\$1 same (adjust\$3 with weight\$1))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/05/14 11:48</b>

	Type	Hits	Search Text	DBs
1	BRS	38415	queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	0	queue and difin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	0	queue and (difin\$4 adj2 list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	10441	((search\$3 or retriev\$3 or request\$3 or quer\$3) near3 (text or color or shap))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	12863	((search\$3 or retriev\$3 or request\$3 or quer\$3) near3 (text\$1 or color\$1 or shape\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	5391	((search\$3 or retriev\$3 or request\$3 or quer\$3) near3 (texture\$1 or color\$1 or shape\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	5	((search\$3 or retriev\$3 or request\$3 or quer\$3) near3 (texture\$1 or color\$1 or shape\$1))) and (relevant near3 feedback)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	10	content-based and keyword-based and (search\$3 or retriev\$3 or quer\$3 or request\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	7	content-based and keyword-based and (search\$3 or retriev\$3 or quer\$3 or request\$3) and image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	350	content-based same (search\$3 or retriev\$3 or quer\$3 or request\$3) and image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	226	content-based same (search\$3 or retriev\$3 or quer\$3 or request\$3) same image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	55	(content-based same (search\$3 or retriev\$3 or quer\$3 or request\$3) same image\$1) and keyword\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	37	((content-based same (search\$3 or retriev\$3 or quer\$3 or request\$3) same image\$1) and keyword\$1) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	3434	search\$3 and (first adj2 image\$2) and (second adj2 image\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	82	(keyword adj2 search\$3) and (similar near8 image\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	136	search\$3 same image\$2 same feedback	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	136	search\$3 same image\$2 same feedback\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
18	BRS	0	search\$3 same image\$2 same (monitor near3 feedback\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	130	image\$2 same (monitor near3 feedback\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	130	image\$1 same (monitor near3 feedback\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	15	( image\$1 same (monitor near3 feedback\$1)) and search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	3	( image\$1 same (monitor near3 feedback\$1)) and search\$3 and 707/\$.ccis.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	136	search\$3 same feedback\$1 same image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	19	(search\$3 same feedback\$1 same image\$1) and 707/\$.ccis.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	1011	(feedback or evaluat\$3) same imag\$2 same search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	880	evaluat\$3 same imag\$2 same search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	5	(evaluat\$3 and feedback) same imag\$2 same search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	71	low-level adj2 feature\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	56	(low-level adj2 feature\$1) and image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	43	(low-level adj2 feature\$1) and image\$1 and search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	15	(low-level adj2 feature\$1) and image\$1 and search\$3 and feedback	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	8	(low-level adj2 feature\$1) and image\$1 and search\$3 and feedback and 707/\$.ccis.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	10	keyword-based and content-based	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	7	(keyword-based and content-based) and image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
35	BRS	3	keyword-based with content-based	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	34813	semantic-based an low-level	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	0	semantic-based same low-level	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	31	(image adj2 retrieval) and (relevance adj2 feedback)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	16	(image adj2 retrieval) and (relevance adj2 feedback) and keyword\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	2901	feature adj2 vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	51	(feature adj2 vector) and keywords and category	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	37	(feature adj2 vector) and keywords and category and image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	13	((organiz\$3 or categoriz\$3) near3 image\$1) and keyword\$1 and (feature adj2 vector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	16	((organiz\$3 or categoriz\$3) near3 (image\$1 or file\$1)) and keyword\$1 and (feature adj2 vector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	9	((organiz\$3 or categoriz\$3) near3 (image\$1 or file\$1)) same (feature adj2 vector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	60	((organiz\$3 or categoriz\$3 or classif\$4) near3 (image\$1 or file\$1)) same (feature adj2 vector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	2	((organiz\$3 or categoriz\$3 or classif\$4) near3 (image\$1 or file\$1)) same (feature adj2 vector) same keyword\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	11	((organiz\$3 or categoriz\$3 or classif\$4) near3 (image\$1 or file\$1)) same (feature adj2 vector) and keyword\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	4	((organiz\$3 or categoriz\$3 or classif\$4 or cluster\$3) near3 (image\$1 or file\$1)) same (feature adj2 vector) same keyword\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	0	feedback same (add or remove) same keyword\$1 same image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	9	feedback same (add or remove) same keyword\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
52	BRS	3	(feedback same (add or remove) same keyword\$1 ) and image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	0	(feedback same (add or remove) same keyword\$1 ) and (multi-media or mltimedia)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	60	label\$3 same keyword\$1 same (image\$1 or multi-media)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	0	label\$3 same keyword\$1 same (new near3 image\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	60	label\$3 same keyword\$1 same image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	2	label\$3 same keyword\$1 same image\$1 same category	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	0	6369811.pn. and natural adj2 language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	BRS	0	6369811.pn. and (natural adj2 language)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	160	natural near3 language near3 parser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	3	(natural near3 language near3 parser) and (keyword adj2 search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	33	(natural near3 language near3 parser) and image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	8	(natural near3 language near3 parser) same image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	28	(natural near3 language near3 parser) same search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	1	(natural near3 language near3 parser) same text-based	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	0	(natural near3 language near3 parser) and (text-based adj2 quer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	BRS	0	(natural near3 language near3 parser) and (text-based adj2 quer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	BRS	1	(natural near3 language near3 parser) with text-based	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
69	BRS	0	(natural near3 language near3 parser) with (text adj2 quer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	1823	text-based	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	BRS	162	text-based and parser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	BRS	9	(text-based and parser) and (natural near3 parser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	2	6369811.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	BRS	1	5721938.pn. and category	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB